






 Tin-in	3/8"	1"
	1/2"	1-1/4"
	3/4"	3
	equaltee	
 Tin-in	3/4"x3/4"x1/2"	1"x1"x3/4"
	3/4"x1/2"x3/4"	1"x3/4"x3/4"
	1/2"x1/2"x3/4"	3/4"x3/4"x1"
	3/4"x1/2"x1/2"	1"x1"x1/2"
	1"x3/4"x1"	
	unequaltee	


 Tin-in	3/8"x3/8"xNPT1/8"	
	1/2"x1/2"xNPT1/8"	
	PEXxPEXxNPT tee	
 Tin-in	3/8"	1"
	1/2"	
	3/4"	
	PEXxPEX equal coupler	


 Tin-in	3/8"x3/8"POLY	1/2"x3/8"
	1/2"x1/2"POLY	3/4"x1/2"
	3/4"x3/4"POLY	1"x3/4"
	1"x1"POLY	
	PEX x Poly coupler	


 Tin-in	NPT1/8"x3/8"	NPT3/4"x1/2"
	NPT1/8"x1/2"	NPT3/4"x3/4"
	NPT1/2"x3/8"	NPT1"x3/4"
	NPT1/2"x1/2"	NPT1"x1"
	NPT Female x PEX coupler	


 Tin-in	Ø12.2mm x 3/8"	Ø15.9mm x 1/2"
	Ø12.2mm x 1/2"	Ø22.2mm x 3/4"
	Ø22.2mm x 3/4"	Ø28.6mm x 1"
	Ø22.2mm x 1"	
	Sweat Male x PEX coupler	

 Tin-in	Ø15.9mm x 1/2"	Ø9.6mm x 3/8"
	Ø22.2mm x 3/4"	Ø9.6mm x 1/2"
	Ø28.6mm x 1"	Ø22.2mm x 1"
	Sweat Female x PEX coupler	

 Tin-in	3/8"	1"
	1/2"	
	3/4"	
	PEX test plug	

 Tin-in	NPT1"x3/4"	NPT3/4"x1/2"
	NPT1/2"x1/2"	NPT1"x1"
	NPT1/2"x3/8"	NPT3/4"x3/4"
	NPT Male x PEX coupler	

 Tin-in	3/8"	1"
	1/2"	1/2"x3/4"
	3/4"	1-1/4"
	PEX x PEX elbow	

 Tin-in	NPT1/2"x3/8"	NPT3/4"x3/4"
	NPT1/2"x1/2"	
	NPT1/2"x3/4"	
	NPT x PEX wallplate elbow	

Tie-in

Technical Specification:

PEX crimp fittings are NSF and UPC certified.

PEX crimp fittings are made from Brass C36500 (low lead) or C37700 and ASTM F877 and F1807 certified.

PEX crimp fittings are made in accordance with ASTM 197-4 and CSA B137.9/B137.10